




# Australian Price Book

Current as of February 1, 2025

**ASSA ABLOY**  
Opening Solutions

**ABLOY**

**ASSA ABLOY**



**LORIENT**



**Whitco**  
SECURING YOUR HOME



Experience a safer  
and more open world

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX<br>QUANTITY | LIST PRICE<br>PER EACH | LIST PRICE<br>GST INCL. | IDC | STOCKED<br>ITEM |
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock

|                                                                                    |                                                                                   |              |               |   |         |         |    |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome) | 3572ELAM0LSC | 9311847049871 | 5 | 1306.76 | 1437.44 | U2 |
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome) | 3572ELAM0RSC | 9311847465831 | 5 | 1306.76 | 1437.44 | U2 |
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MON ONE CYL (Satin Chrome)          | 3572ELAM1LSC | 9311847049888 | 5 | 1401.07 | 1541.18 | U2 |
|   | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MON ONE CYL (Satin Chrome)          | 3572ELAM1RSC | 9311847049895 | 5 | 1401.07 | 1541.18 | U2 |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MON TWO CYLINDERS (Satin Chrome)    | 3572ELAM2RSC | 9311847452909 | 5 | 1495.64 | 1645.20 | U2 |

##### Lockwood 3570 Series Electric Mortice Lock - Monitored

|                                                                                    |                                                                                       |                |               |   |         |         |    |   |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|---------------|---|---------|---------|----|---|
|  | LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY (Satin Chrome)  | 3570ELM0SC     | 9311847936904 | 5 | 1209.94 | 1330.93 | U2 | ✓ |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED ONE CYL (Satin Chrome)     | 3570ELM1SC     | 9311847936911 | 5 | 1297.28 | 1427.01 | U2 |   |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED TWO CYLS (Satin Chrome)    | 3570ELM2SC     | 9311847936928 | 5 | 1384.87 | 1523.36 | U2 |   |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK KIT TO SUIT FLUID SERIES PANIC BAR (Satin Chrome) | 3570ELMSCFESIL | 9340116049939 |   | 1506.77 | 1657.45 | 92 | ✓ |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM NO CYL (Satin Chrome)   | 3572ELEM0LSC   | 9311847049864 | 5 | 1306.76 | 1437.44 | U2 |   |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Monitored

|                                                                                    |                                                                                       |              |               |   |         |         |    |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM NO CYL (Satin Chrome)   | 3572ELEM0RSC | 9311847465404 | 5 | 1306.76 | 1437.44 | U2 |
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MON ONE CYL (Satin Chrome)            | 3572ELEM1LSC | 9311847908550 | 5 | 1401.07 | 1541.18 | U2 |
|    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MON ONE CYL (Satin Chrome)            | 3572ELEM1RSC | 9311847908345 | 5 | 1401.07 | 1541.18 | U2 |
|   | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MON TWO CYLINDERS (Satin Chrome)      | 3572ELEM2LSC | 9311847924307 | 5 | 1495.64 | 1645.20 | U2 |
|  | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MON TWO CYLINDERS (Satin Chrome)      | 3572ELEM2RSC | 9311847451131 | 5 | 1495.64 | 1645.20 | U2 |
|                                                                                    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MON ONE CYL (Satin Chrome)              | 3574ELAM1LSC | 9311847139954 | 5 | 1401.07 | 1541.18 | U2 |
|                                                                                    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MON TWO CYLINDERS (Satin Chrome)        | 3574ELAM2RSC | 9311847412842 | 5 | 1495.64 | 1645.20 | U2 |
|                                                                                    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM NO CYL (Satin Chrome)   | 3574ELEM0RSC | 9311847412774 | 5 | 1215.57 | 1337.13 | U2 |
|                                                                                    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE MON ONE CYL (Satin Chrome)            | 3574ELEM1LSC | 9311847412637 | 5 | 1401.07 | 1541.18 | U2 |
|  | 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED NO CYLINDER (Satin Chrome) | 4570ELM0SC   | 9311847936935 | 5 | 1358.92 | 1494.81 | U2 |
|  | 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED ONE CYL (Satin Chrome)     | 4570ELM1SC   | 9311847936942 | 5 | 1446.22 | 1590.84 | U2 |
|  | 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED TWO CYLS (Satin Chrome)    | 4570ELM2SC   | 9311847936959 | 5 | 1533.88 | 1687.27 | U2 |
|  | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome)     | 4572ELAM0LSC | 9311847413276 | 5 | 1467.66 | 1614.43 | U2 |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Monitored

|                                                                                    |                                                                                         |              |               |   |         |         |    |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome)       | 4572ELAM0RSC | 9311847413306 | 5 | 1467.66 | 1614.43 | U2 |
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM ONE CYL (Satin Chrome)      | 4572ELAM1LSC | 9311847413399 | 5 | 1561.94 | 1718.13 | U2 |
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM ONE CYL (Satin Chrome)      | 4572ELAM1RSC | 9311847413405 | 5 | 1561.94 | 1718.13 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome)       | 4574ELAM0LSC | 9311847413313 | 5 | 1467.66 | 1614.43 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM NO CYL (Satin Chrome)       | 4574ELAM0RSC | 9311847413320 | 5 | 1467.66 | 1614.43 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM ONE CYLINDER (Satin Chrome) | 4574ELAM1LSC | 9311847413467 | 5 | 1561.94 | 1718.13 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM ONE CYLINDER (Satin Chrome) | 4574ELAM1RSC | 9311847413474 | 5 | 1561.94 | 1718.13 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM TWO CYLS (Satin Chrome)     | 4574ELAM2LSC | 9311847413498 | 5 | 1656.52 | 1822.17 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM TWO CYLS (Satin Chrome)     | 4574ELAM2RSC | 9311847413504 | 5 | 1656.52 | 1822.17 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM NO CYL (Satin Chrome)     | 4574ELEM0LSC | 9311847413351 | 5 | 1467.66 | 1614.43 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM NO CYL (Satin Chrome)     | 4574ELEM0RSC | 9311847413368 | 5 | 1467.66 | 1614.43 | U2 |
|                                                                                    | 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM ONE CYL (Satin Chrome)      | 4574ELEM1LSC | 9311847413443 | 5 | 1561.94 | 1718.13 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE MONITORED KOM ONE CYL (Satin Chrome)    | 4574ELEM1RSC | 9311847413450 | 5 | 1561.94 | 1718.13 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM TWO CYLS (Satin Chrome)     | 4574ELEM2LSC | 9311847413511 | 5 | 1656.52 | 1822.17 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE MONITORED KOM TWO CYLS (Satin Chrome)     | 4574ELEM2RSC | 9311847413528 | 5 | 1656.52 | 1822.17 | U2 |
|  | 12-24VDC 127MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED NO CYL (Satin Chrome)       | 5570ELM0SC   | 9311847936966 | 5 | 1420.62 | 1562.68 | U2 |
|  | 12-24VDC 127MM ELECTRIC MORTICE LOCK PRIMARY LOCK MONITORED TWO CYLS (Satin Chrome)     | 5570ELM2SC   | 9311847936980 | 5 | 1595.52 | 1755.07 | U2 |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Monitored



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON NO CYL (Satin Chrome)

5572ELAM0LSC

9311847413870

5

1534.21

1687.63

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
MON ONE CYLINDER (Satin Chrome)

5572ELEM1LSC

9311847414006

5

1628.53

1791.38

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON NO CYL (Satin Chrome)

5574ELAM0LSC

9311847413917

5

1534.21

1687.63

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON NO CYL (Satin Chrome)

5574ELAM0RSC

9311847413924

5

1534.21

1687.63

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON ONE CYLINDER (Satin Chrome)

5574ELAM1LSC

9311847414020

5

1628.53

1791.38

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON ONE CYLINDER (Satin Chrome)

5574ELAM1RSC

9311847414037

5

1628.53

1791.38

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON TWO CYLINDER (Satin Chrome)

5574ELAM2LSC

9311847414105

5

1809.27

1990.20

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
MON TWO CYLINDER (Satin Chrome)

5574ELAM2RSC

9311847414112

5

1809.27

1990.20

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
MON NO CYL (Satin Chrome)

5574ELEM0LSC

9311847413931

5

1534.21

1687.63

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
MON NO CYL (Satin Chrome)

5574ELEM0RSC

9311847413948

5

1534.21

1687.63

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
MON ONE CYLINDER (Satin Chrome)

5574ELEM1LSC

9311847414044

5

1628.53

1791.38

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
MON ONE CYLINDER (Satin Chrome)

5574ELEM1RSC

9311847414051

5

1628.53

1791.38

U2

##### Lockwood 3570 Series Electric Mortice Lock - Monitored Secure Area



LOCKWOOD 3579ELM0SC SECURE 12-24VDC 60mm  
ELECTRIC MORICE LOCK PRIMARY (Satin Chrome)

3579ELM0SC

9311847943599

5

1367.23

1503.95

U2



SECURE 12-24VDC 60MM ELECTRIC M'LOCK PRIMARY  
LOCK NON MONITORED NO CYL (Satin Chrome)

3579ELN0SC

9311847943605

5

850.20

935.22

U2



LOCKWOOD 3579 12-24VDC 60MM HIGH SECURITYEC  
ELEC MLOCK FAIL SAFE MON K (Satin Chrome)

3579HSELM0SC

9311847966543

5

1639.63

1803.59

U2



12-24VDC 89MM SECURE ELEC MORTICE LOCK MON KOM  
NO CYL (Satin Chrome)

4579ELM0SC

9311847118782

5

1516.20

1667.82

U2

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Monitored Secure Area



12-24VDC 89MM HIGH SECURITY ELEC MORTICE LOCK FAIL SAFE MON KOM NO CYL (Satin Chrome) 4579HSELM0SC 9311847999930 5 2096.25 2305.88 U2

SECURE 12-24VDC 127MM ELECTRIC MORTICE PRIMARY LOCK MON NO CYL (Satin Chrome) 5579ELM0SC 9311847104402 10 1742.18 1916.40 U2

12-24VDC 127MM HIGH SEC ELEC MORTICE LOCK FAIL SAFE MON KOM NO CYL (Satin Chrome) 5579HSELM0SC 9311847104952 10 2354.28 2589.71 U2

##### Lockwood 3570 Series Electric Mortice Lock - Non-Monitored



12-24VDC 60MM ELECTRIC MORTICE LOCK PRIMARY LOCK NON MONITORED NO CYL (Satin Chrome) 3570ELN0SC 9311847936805 5 762.50 838.75 U2 ✓



12-24VDC 60MM ELECTRIC MORTICE LOCK PRIMARY LOCK NON MONITORED ONE CYL (Satin Chrome) 3570ELN1SC 9311847936812 5 854.49 939.94 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome) 3572ELAN0LSC 9311847411098 5 823.48 905.83 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome) 3572ELAN0RSC 9311847411104 5 823.48 905.83 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON TWO CYLINDERS (Satin Chrome) 3572ELAN2LSC 9311847935006 5 975.82 1073.40 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome) 3572ELEN0LSC 9311847411111 5 823.48 905.83 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome) 3572ELEN0RSC 9311847411128 5 823.48 905.83 U2



12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON ONE CYLINDER (Satin Chrome) 3572ELEN1RSC 9311847411180 5 922.82 1015.10 U2

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Non-Monitored



|                                                                                      |              |               |   |        |         |    |
|--------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON TWO CYLINDERS (Satin Chrome) | 3572ELEN2RSC | 9311847924314 | 5 | 975.82 | 1073.40 | U2 |
|--------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                             |              |               |   |        |        |    |
|-----------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome) | 3574ELAN0LSC | 9311847412569 | 5 | 823.48 | 905.83 | U2 |
|-----------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|

|                                                                                   |              |               |   |        |         |    |
|-----------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome) | 3574ELAN1LSC | 9311847412613 | 5 | 922.82 | 1015.10 | U2 |
|-----------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                   |              |               |   |        |         |    |
|-----------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome) | 3574ELAN1RSC | 9311847412620 | 5 | 922.82 | 1015.10 | U2 |
|-----------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                    |              |               |   |        |         |    |
|------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON TWO CYLINDERS (Satin Chrome) | 3574ELAN2LSC | 9311847412668 | 5 | 975.82 | 1073.40 | U2 |
|------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                    |              |               |   |        |         |    |
|------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON TWO CYLINDERS (Satin Chrome) | 3574ELAN2RSC | 9311847412699 | 5 | 975.82 | 1073.40 | U2 |
|------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                               |              |               |   |        |        |    |
|-------------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome) | 3574ELEN0LSC | 9311847412590 | 5 | 823.48 | 905.83 | U2 |
|-------------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|

|                                                                               |              |               |   |        |        |    |
|-------------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome) | 3574ELEN0RSC | 9311847412606 | 5 | 823.48 | 905.83 | U2 |
|-------------------------------------------------------------------------------|--------------|---------------|---|--------|--------|----|

|                                                                                     |              |               |   |        |         |    |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON ONE CYLINDER (Satin Chrome) | 3574ELEN1LSC | 9311847412644 | 5 | 922.82 | 1015.10 | U2 |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                     |              |               |   |        |         |    |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON ONE CYLINDER (Satin Chrome) | 3574ELEN1RSC | 9311847412651 | 5 | 922.82 | 1015.10 | U2 |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                     |              |               |   |        |         |    |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON TWO CYLINDER (Satin Chrome) | 3574ELEN2LSC | 9311847412705 | 5 | 975.82 | 1073.40 | U2 |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|

|                                                                                     |              |               |   |        |         |    |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 60MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON TWO CYLINDER (Satin Chrome) | 3574ELEN2RSC | 9311847412712 | 5 | 975.82 | 1073.40 | U2 |
|-------------------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|



|                                                                                      |            |               |   |        |         |    |
|--------------------------------------------------------------------------------------|------------|---------------|---|--------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK NON MONITORED NO CYL (Satin Chrome) | 4570ELN0SC | 9311847936836 | 5 | 911.47 | 1002.62 | U2 |
|--------------------------------------------------------------------------------------|------------|---------------|---|--------|---------|----|



|                                                                                       |            |               |   |         |         |    |
|---------------------------------------------------------------------------------------|------------|---------------|---|---------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK NON MONITORED ONE CYL (Satin Chrome) | 4570ELN1SC | 9311847936843 | 5 | 1003.45 | 1103.80 | U2 |
|---------------------------------------------------------------------------------------|------------|---------------|---|---------|---------|----|



|                                                                                       |            |               |   |         |         |    |
|---------------------------------------------------------------------------------------|------------|---------------|---|---------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK PRIMARY LOCK NON MONITORED TWO CYL (Satin Chrome) | 4570ELN2SC | 9311847936898 | 5 | 1052.52 | 1157.77 | U2 |
|---------------------------------------------------------------------------------------|------------|---------------|---|---------|---------|----|



|                                                                             |              |               |   |        |         |    |
|-----------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome) | 4572ELAN0LSC | 9311847413016 | 5 | 984.38 | 1082.82 | U2 |
|-----------------------------------------------------------------------------|--------------|---------------|---|--------|---------|----|



|                                                                                   |              |               |   |         |         |    |
|-----------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome) | 4572ELAN1LSC | 9311847413108 | 5 | 1083.71 | 1192.08 | U2 |
|-----------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

#### Lockwood 3570 Series Electric Mortice Lock - Non-Monitored

|                                                                                    |                                                                                      |              |               |   |         |         |    |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome)        | 4572ELEN0LSC | 9311847413030 | 5 | 984.38  | 1082.82 | U2 |
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome)        | 4572ELEN0RSC | 9311847413047 | 5 | 984.38  | 1082.82 | U2 |
|    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4572ELEN1LSC | 9311847413122 | 5 | 1083.71 | 1192.08 | U2 |
|   | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4572ELEN1RSC | 9311847413139 | 5 | 1083.71 | 1192.08 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome)          | 4574ELAN0LSC | 9311847413061 | 5 | 984.38  | 1082.82 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON NO CYL (Satin Chrome)          | 4574ELAN0RSC | 9311847413078 | 5 | 984.38  | 1082.82 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4574ELAN1LSC | 9311847413146 | 5 | 1083.71 | 1192.08 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4574ELAN1RSC | 9311847413153 | 5 | 1083.71 | 1192.08 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON TWO CYLINDERS (Satin Chrome)   | 4574ELAN2LSC | 9311847413221 | 5 | 1136.76 | 1250.44 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON TWO CYLINDERS (Satin Chrome)   | 4574ELAN2RSC | 9311847413269 | 5 | 1136.76 | 1250.44 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome)        | 4574ELEN0LSC | 9311847413085 | 5 | 984.38  | 1082.82 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON NO CYL (Satin Chrome)        | 4574ELEN0RSC | 9311847413092 | 5 | 984.38  | 1082.82 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4574ELEN1LSC | 9311847413160 | 5 | 1083.71 | 1192.08 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SAFE NON MON ONE CYLINDER (Satin Chrome)    | 4574ELEN1RSC | 9311847413177 | 5 | 1083.71 | 1192.08 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON TWO CYLINDERS (Satin Chrome) | 4574ELEN2LSC | 9311847413245 | 5 | 1136.76 | 1250.44 | U2 |
|                                                                                    | 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE NON MON TWO CYLINDERS (Satin Chrome) | 4574ELEN2RSC | 9311847413252 | 5 | 1136.76 | 1250.44 | U2 |
|  | 12-24VDC 127MM ELECTRIC MORT LOCK PRIMARY LOCK NON MONITORED NO CYL (Satin Chrome)   | 5570ELN0SC   | 9311847936867 | 5 | 973.09  | 1070.40 | U2 |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Non-Monitored



12-24VDC 127MM ELECTRIC MORT LOCK PRIMARY LOCK  
NON MONITORED ONE CYL (Satin Chrome)

5570ELN1SC

9311847936874

5

1065.08

1171.59

U2



12-24VDC 127MM ELECTRIC MORT LOCK PRIMARY LOCK  
NON MONITORED TWO CYLS (Satin Chrome)

5570ELN2SC

9311847936881

5

1114.17

1225.59

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON NO CYL (Satin Chrome)

5572ELAN0LSC

9311847413542

5

1050.98

1156.08

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON NO CYL (Satin Chrome)

5572ELAN0RSC

9311847413559

5

1050.98

1156.08

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON ONE CYL (Satin Chrome)

5572ELAN1LSC

9311847413719

5

1150.31

1265.34

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON ONE CYL (Satin Chrome)

5572ELAN1RSC

9311847413726

5

1150.31

1265.34

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
NON MON NO CYL (Satin Chrome)

5572ELEN0LSC

9311847413566

5

1050.98

1156.08

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
NON MON NO CYL (Satin Chrome)

5572ELEN0RSC

9311847413573

5

1050.98

1156.08

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
NON MON ONE CYL (Satin Chrome)

5572ELEN1LSC

9311847413733

5

1150.31

1265.34

U2



12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE  
NON MON ONE CYL (Satin Chrome)

5572ELEN1RSC

9311847413740

5

1150.31

1265.34

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON NO CYL (Satin Chrome)

5574ELAN0LSC

9311847413580

5

1050.98

1156.08

U2

12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE  
NON MON NO CYL (Satin Chrome)

5574ELAN0RSC

9311847413597

5

1050.98

1156.08

U2

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX<br>QUANTITY | LIST PRICE<br>PER EACH | LIST PRICE<br>GST INCL. | IDC | STOCKED<br>ITEM |
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood 3570 Series Electric Mortice Lock

##### Lockwood 3570 Series Electric Mortice Lock - Non-Monitored

|                                                                                          |              |               |   |         |         |    |
|------------------------------------------------------------------------------------------|--------------|---------------|---|---------|---------|----|
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE<br>NON MON ONE CYL (Satin Chrome)         | 5574ELAN1LSC | 9311847413757 | 5 | 1150.31 | 1265.34 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE<br>NON MON ONE CYL (Satin Chrome)         | 5574ELAN1RSC | 9311847413764 | 5 | 1150.31 | 1265.34 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE<br>NON MON TWO CYLINDERS (Satin Chrome)   | 5574ELAN2LSC | 9311847413818 | 5 | 1203.34 | 1323.67 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SAFE<br>NON MON TWO CYLINDERS (Satin Chrome)   | 5574ELAN2RSC | 9311847413825 | 5 | 1203.34 | 1323.67 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON NO CYL (Satin Chrome)        | 5574ELEN0LSC | 9311847413603 | 5 | 1050.98 | 1156.08 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON NO CYL (Satin Chrome)        | 5574ELEN0RSC | 9311847413610 | 5 | 1050.98 | 1156.08 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON ONE CYL (Satin Chrome)       | 5574ELEN1LSC | 9311847413771 | 5 | 1150.31 | 1265.34 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON ONE CYL (Satin Chrome)       | 5574ELEN1RSC | 9311847413788 | 5 | 1150.31 | 1265.34 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON TWO CYLINDERS (Satin Chrome) | 5574ELEN2LSC | 9311847413832 | 5 | 1203.34 | 1323.67 | U2 |
| 12-24VDC 127MM ELECTRIC MORTICE LOCK FAIL SECURE<br>NON MON TWO CYLINDERS (Satin Chrome) | 5574ELEN2RSC | 9311847413856 | 5 | 1203.34 | 1323.67 | U2 |

#### Lockwood 3580 Series Electric Mortice Lock

##### Lockwood 3580 Series Electric Mortice Lock - Monitored 12V



|                                                                                        |              |               |  |         |         |    |
|----------------------------------------------------------------------------------------|--------------|---------------|--|---------|---------|----|
| 12-24VDC 89MM ELECTRIC MORTICE LOCK FAIL SECURE<br>MONITORED KOM NO CYL (Satin Chrome) | 4572ELEM0LSC | 9311847413337 |  | 1467.66 | 1614.43 | U2 |
|----------------------------------------------------------------------------------------|--------------|---------------|--|---------|---------|----|

#### Selector 3782 Series Electric Mortice Locks

##### 3782EL Short Backset Electric Mortice Locks



|                                                                                   |          |               |  |         |         |    |   |
|-----------------------------------------------------------------------------------|----------|---------------|--|---------|---------|----|---|
| 3782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK<br>23MM BACKSET (Satin Stainless)   | 3782ELSS | 9340116061191 |  | 1421.95 | 1564.15 | U2 | ✓ |
| 4782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK<br>25.4MM BACKSET (Satin Stainless) | 4782ELSS | 9340116061238 |  | 1530.17 | 1683.19 | U2 |   |
| 5782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK<br>30MM BACKSET (Satin Stainless)   | 5782ELSS | 9340116061252 |  | 1562.45 | 1718.70 | U2 |   |
| 6782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK<br>38MM BACKSET (Satin Stainless)   | 6782ELSS | 9340116061269 |  | 1620.63 | 1782.69 | U2 |   |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX<br>QUANTITY | LIST PRICE<br>PER EACH | LIST PRICE<br>GST INCL. | IDC | STOCKED<br>ITEM |
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|
|--|-------------|-------------|---------|-----------------|------------------------|-------------------------|-----|-----------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood Electric Mortice Lock Accessories

#### Lockwood Electric Mortice Lock Accessories

|                                                                                    |                                                                       |               |               |     |        |        |    |   |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|---------------|-----|--------|--------|----|---|
|    | 5MM DIA STEEL BALL PK=20                                              | SPTL1/2IN-31  | 9340116140513 |     | 1.93   | 2.12   | W1 |   |
|                                                                                    | 277MM CABLE TRANSFER DEVICE - LEAD COVER (Chrome Plate)               | LC8810        | 9311847759695 | 40  | 107.73 | 118.50 | U2 | ✓ |
|    | 497MM CABLE TRANSFER DEVICE - LEAD COVER (Chrome Plate)               | LC8811        | 9311847759701 | 10  | 123.88 | 136.27 | U2 |   |
|                                                                                    | ROOM GUARD TURN KNOB (Satin Chrome)                                   | RG3SC         | 9311847456754 | 20  | 193.78 | 213.16 | U2 |   |
|    | 7.5M CABLE 12 WIRE FOR 3570EL ELECTRIC MORTICE LOCKS (EXTENDED CABLE) | SP3570-1055   | 9311847919310 | 10  | 199.73 | 219.70 | U2 |   |
|                                                                                    | 1.6M CABLE 12 WIRE FOR 3570EL ELECTRIC MORTICE LOCKS (STD.WITH LOCK)  | SP3570-155    | 9311847457256 | 10  | 106.34 | 116.97 | U2 |   |
|   | 3570EL SERIES - ACCESSORY PACKET (Satin Chrome)                       | SP3570-5219SC | 9311847115309 | 100 | 25.50  | 28.05  | W1 |   |
|                                                                                    | SPINDLE ELECTRIC M/L                                                  | SP3570-5418   | 9311847314139 | 100 | 12.35  | 13.59  | U2 |   |
|  | ELECTRIC MORTICE LOCK EXTENDED SPINDLE 57-75MM DOOR                   | SP3570-5428   | 9311847003095 | 100 | 21.84  | 24.02  | U2 |   |
|                                                                                    | SPINDLE ELECTRIC M/L TO SUIT 100MM THICK DOORS                        | SP3570-5438   | 9311847984448 | 100 | 23.74  | 26.11  | U2 |   |
|  | 3570 SERIES - 9/12 WIRE ADAPTOR ELEC LOCK                             | SP3570-5871   | 9311847109704 | 100 | 81.15  | 89.27  | W1 |   |
|                                                                                    | MAGNET 10MM DIA -16 RARE EARTH                                        | SP3572-3048   | 9311847270039 | 10  | 28.08  | 30.89  | 41 |   |
|  | LED EXTENSION LEAD ASSY                                               | SP3580-180    | 9311847314924 | 100 | 39.33  | 43.26  | U2 |   |
|                                                                                    | 9W CABLE ASSY 3.6M                                                    | SP3580-252    | 9311847171046 | 100 | 111.54 | 122.69 | U2 |   |
|  | ELEC MORT LOCK LED ASSY                                               | SP572-3129    | 9311847174528 | 100 | 81.15  | 89.27  | U2 |   |
|                                                                                    |                                                                       |               |               |     |        |        |    |   |

# Section 4

## Electromechanical Commercial Solutions

|  | DESCRIPTION | PART NUMBER | BARCODE | BOX QUANTITY | LIST PRICE PER EACH | LIST PRICE GST INCL. | IDC | STOCKED ITEM |
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|
|--|-------------|-------------|---------|--------------|---------------------|----------------------|-----|--------------|

### Section 4-1 - Electric Mortice Locks

#### Lockwood Hi-O 3570 Series Room Guard

##### Lockwood Hi-O 3570 Series Room Guard

|                                                                                    |                                            |              |               |    |         |         |    |
|------------------------------------------------------------------------------------|--------------------------------------------|--------------|---------------|----|---------|---------|----|
|    | Hi-O E/Mortice Lock                        | 3570ELH0SC   | 9311847002081 | 5  | 1230.63 | 1353.69 | U2 |
|    | HI-O ROOM GUARD LOCK (Satin Chrome)        | 3570ELHRG0SC | 9311847032538 | 5  | 1611.31 | 1772.44 | U2 |
|    | HI ROOM GUARD KIT (2 DOORS) (Satin Chrome) | 3570HRGKIT   | 9311847036581 | 5  | 4028.21 | 4431.03 | U2 |
|                                                                                    | 3.5M DOOR CABLE                            | HLM-006      | 9311847004481 | 10 | 26.91   | 29.60   | U2 |
|                                                                                    | 8M EXTENSION CABLE                         | HLM-008      | 9311847004498 | 10 | 41.22   | 45.34   | U2 |
|                                                                                    | TERMINAL STRIP ADAPTOR (PAIR)              | HLM-011      | 9311847004528 | 10 | 21.55   | 23.71   | U2 |
|                                                                                    | HI-O TERMINATION SOCKET                    | HLM-012      | 9311847004535 | 10 | 21.55   | 23.71   | U2 |
|                                                                                    | OVERRIDE SWITCH WIRE 15M LONG              | HLM-018      | 9311847098701 | 10 | 25.12   | 27.63   | U2 |
|                                                                                    | 4 WAY CABLE ADAPTOR                        | HLM-019      | 9311847103153 | 10 | 26.91   | 29.60   | U2 |
|                                                                                    | OVERRIDE SWITCH FACE PLATE                 | HPM-FP1      | 9311847098718 | 10 | 14.37   | 15.81   | U2 |
|                                                                                    | ROOMGUARD EMERGENCY SWITCH                 | HPM-SW1      | 9311847098725 | 10 | 26.91   | 29.60   | U2 |
|  | POWER SUPPLY UNIT WITH AC                  | HPS-24VDC    | 9311847109230 | 10 | 107.45  | 118.20  | U2 |

#### Selector 3700 Series Electric Mortice Locks Accessories & Spare Parts

##### 3700 Cables and Conversion Adaptors

|                                                                                    |                                                |              |               |  |        |        |    |
|------------------------------------------------------------------------------------|------------------------------------------------|--------------|---------------|--|--------|--------|----|
|  | 3782EL SERIES 9 PIN ADAPTOR TO RETROFIT 3582EL | SP3782EL-251 | 9340116061382 |  | 81.52  | 89.67  | U2 |
|  | 3782EL SERIES CABLE 3.6M                       | SP3782EL-252 | 9340116061405 |  | 105.22 | 115.74 | U2 |

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

**ASSA ABLOY**  
Opening Solutions

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offerings includes doors, door and window hardware, mechanical and smart locks, access control and service.

ASSA ABLOY Australia Pty Ltd  
235 Huntingdale Road  
Oakleigh, Victoria, 3166  
Australia

1300 LOCK UP (1300 562 587)  
<https://www.assaabloy.com/au/en>

[customerservice.au@assaabloy.com](mailto:customerservice.au@assaabloy.com)

#### Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved